



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/648,056	08/26/2003	Jeff R. Justis	4002-3368/PC753.00	2957
52196 7590 04/19/2007 KRIEG, DEVAULT LLP ONE INDIANA SQUARE, SUITE 2800 INDIANAPOLIS, IN 46204-2709			EXAMINER STEWART, ALVIN J	
			ART UNIT	PAPER NUMBER
			3738	
SHORTENED STATUTORY PERIOD OF RESPONSE		MAIL DATE	DELIVERY MODE	
3 MONTHS		04/19/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

10/648,056

Applicant(s)

JUSTIS ET AL.

Examiner

Alvin J. Stewart

Art Unit

3738

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 September 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1, 5, 7, 11-14, 44, 45, 47, 51-56 and 60-69 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 5, 7, 11-14, 44, 45, 47, 51-56, 60-69 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 27 August 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 44, and 55 are rejected under 35 U.S.C. 102(b) as being anticipated by Kuslich US Patent 5,571,189.

Kuslich discloses an intervertebral reduction system comprising a plurality of reduction elements (chopped conical or cancellous bone chips (see col. 9, lines 55-58) positionable in an intervertebral space adjacent one another.

The Examiner interpreted the voids as the spaces between each chopped bone and the material filling the voids have been interpreted as the other materials used to made fluidable material (see col. 12, lines 10-22). US Patent 5,571,189 clearly discloses in col. 12, lines 10-22 that the material use to prepare the graft medium can be made of one material or more materials. Therefore, the Examiner has interpreted the graft medium capable of been used by a plurality of different materials, such as, the first material (the plurality of reduction elements) (the morselized bone graft) and the second material (material filling the voids) (any bone graft substitute (e.g. hydroxyapatite)). Therefore, by having the combination of having two or more materials the prior art reads on the broad limitations of the independent claims.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 5, 7, 11-14, 44, 45, 47, 51-56, 60-69 are rejected under 35 U.S.C. 103(a) as being unpatentable over Baumgartner US Patent 5,755,797 in view of Trieu US Patent 6,620,196 B1.

Baumgartner discloses an intervertebral reduction system comprising a plurality of reduction elements positionable in an intervertebral space adjacent one another, the elements include a spherical shape, an exterior surface and a cavity extending through the reduction element. However, Baumgartner does not disclose a material filling the voids and the reduction elements made of PMMA.

Trieu teaches an implant core (15) inserted within the vertebral disc having upper, lower, and lateral voids surrounding the implant, wherein an outer shell (30) fills in the voids for the purpose of anchoring and fixing in place by the outer shell (see col. 5, lines 20-28).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the Baumgartner reference with the outer shell of the Trieu reference in order to anchor and fix in place the outer shell.

Regarding claims 6, 46 and 57, at the time the invention was made, it would have been an obvious matter of design choice to a person of ordinary skill in the art to modify the material property of the Baumgartner reference because Applicant has not disclosed that the PMMA

Art Unit: 3738

material provides an advantage, is used for a particular purpose, or solves a stated problem. One of ordinary skill in the art, furthermore, would have expected Applicant's invention to perform equally well with the polyethylene material of the Baumgartner reference because the material is capable of absorbing the forces exerted in the body and they are biocompatible.

Therefore, it would have been an obvious matter of design choice to modify the Baumgartner reference to obtain the invention as specified in claims 6 and 46.

Regarding claims 12, 13, 52, 53, 60, 62 and 63, Trieu teaches an intervertebral implant comprising a reduction element (15) covered by a material placeable (30) in the intervertebral space around the reduction element for the purpose of anchoring the implant to the wall of the vertebral body and avoid the expulsion of the implant from the disc cavity, promote the growth of fibrous tissue and provide mechanical support to the disc (see col. 5, lines 20-67; col. 6, lines 62-67; and col. 7, lines 1-32).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the Baumgartner reference with the material placeable in the intervertebral space around the implant in order to anchor the implant to the wall of the vertebral body and avoid the expulsion of the implant from the disc cavity, promote the growth of fibrous tissue and provide mechanical support to the disc.

Regarding claims 13, 53 and 63, it would have been an obvious matter of design choice to a person of ordinary skill in the art to modify the material property of the Trieu reference because Applicant has not disclosed that the PMMA material provides an advantage, is used for a particular purpose, or solves a stated problem. One of ordinary skill in the art, furthermore, would have expected Applicant's invention to perform equally well with the plurality of

Art Unit: 3738

polymeric materials disclosed in the Trieu reference because the material is capable of being bioabsorbable, absorb the forces exerted in the implant and anchor the implant to the disc cavity.

Therefore, it would have been an obvious matter of design choice to modify the Trieu reference to obtain the invention as specified in claims 13, 53 and 63.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alvin J. Stewart whose telephone number is 571-272-4760. The examiner can normally be reached on Monday-Friday 7:00AM-5:30PM(1 Friday B-week off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on 571-272-4754. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A. Stewart
ALVIN J. STEWART
PRIMARY EXAMINER
Art Unit 3738

April 16, 2007.